

Numbers	
2AK Two Groove FHP Sheaves, FHP Drives	PT8-4
2AKH H-Bushed Sheaves, FHP Drives	PT8-7
2BK Two Groove FHP Sheaves, FHP Drives,	PT8-6
2BKH H-Bushed Sheaves, FHP Drives	PT8-8
8 degree Taper, TAPER-LOCK Bushings	PT6-2
A	
Abrasion resistant HT200/HTD Synchronous	PT11-2
Acceleration	PT15-28
Adapters, TAPER-LOCK Bushings	PT6-15
Adjustable Motor Bases	
5614	PT9-15
90 Series	PT9-16
Electric Remote Control	PT9-16
REEVES VARI-SPEED Drives	PT9-15
TEL-1	PT9-15
AK One Groove FHP Sheaves, FHP Drives	PT8-3
AKH H-Bushed Sheaves, FHP Drives	PT8-7
Alignment	
DYNA-SYNC Drives	PT10-45
Sprockets	PT13-46
V-Drives	PT7-124
Anti-seize	
QD Bushings	PT6-16
TAPER-LOCK Bushings	PT6-2
Arc Correction, S-L Classic Drives	PT7-87
Arc Correction Factors, Stock D-V Wedge Drives	PT7-45
B	
Backlash	
DYNA-SYNC Drives	PT10-2
HT200/HTD Synchronous	PT11-2
Balance, Made-to-Order Sheave	
Special, Two-Plane (Dynamic)	PT7-27
Standard, Single Plane (Static)	PT7-27
Balancing, DYNA-SYNC Drives	PT10-44
Basic Horsepower Ratings	
Armide Cord Belt	PT7-83
D-V Wedge Drives	PT7-78 thru PT7-83
DYNA-SYNC Drives	PT10-40 thru PT10-43
S-L Classic Drives,	PT7-116 thru PT7-122
Sprockets	PT13-32 thru PT13-39
Bearing Load Calculations	PT13-21
Belt Correction Factors, S-L Classic Drives	PT7-87
Belt Deflection, DYNA-SYNC Drives	PT10-45
Belt Length, FHP Drives	PT8-10
Belt Pitch Selection Guide, HT200/HTD Synchronous Drives	PT11-22
BK One Groove FHP Sheaves, FHP Drives	PT8-5
BKH H-Bushed Sheaves, FHP Drives	PT8-8
Bore Size, Made-to-Order Sheave	PT7-27
Bushings and Hubs	PT6-1
C	
C-FLEX Module, FLEXIDYNE	PT3-14
Calculate Design Horsepower, FHP Drives	PT8-10
Calculate Drive Ratio, FHP Drives	PT8-10
Class of Service, Sprockets	PT13-28
Center Distance	
Compound Pulley	PT9-11
Junior Pulleys	PT9-6-PT9-8
Senior Pulleys	PT9-9-PT9-10
Sprockets	PT13-46
Center Distance Allowance, V-Drives	PT7-125
Center Distance Tables, HT200/HTD Synchronous	PT11-41 thru PT11-58
Center Distance/Belt Length, FHP Drives	PT8-14
Centrifugal Force	PT13-19
Chain Assembly, Sprockets	PT13-42
Chain Length, Sprockets	PT13-28
Chain Pull, Sprockets	PT13-29
Chain Tension, Sprockets	PT13-46
Chordal action, HT200/HTD Synchronous	PT11-3
Clamp Collar Mounting, REEVES VARI-SPEED Drives	PT9-3
Classic Cog, FHP Drives	PT8-2
Classic Cog V-Belts	PT7-38
Clean operation, HT200/HTD Synchronous	PT11-3
Clutches and Brakes	PT2-1
Coefficients of Friction "f"	PT15-38
Combined Torsion and Bending of Standard Shaft	PT15-18
Common Conversion Factors	PT15-26
Compact, HT200/HTD Synchronous	PT11-3
Compound Drives, Selection/Dimensions	PT9-5
Compound Pulley, REEVES VARI-SPEED Drives	PT9-3
Computer Drive Selection, V-Drives	PT7-123
Concentricity Tolerance, DYNA-SYNC Drives	PT10-44
Conventional Mounting, QD Bushings	PT6-13
CONVEYOR COMPONENTS	PT14-1 thru PT14-80
Conveyor Belt FPM to RPM	PT13-24
Correction Factor, FHP Drives	PT8-10
Corrosion resistant, HT200/HTD Synchronous	PT11-2
Countershaft	
Compound Pulley	PT9-11
REEVES VARI-SPEED Drives	PT9-3
Couplings	PT1-1
Custom Construction, Custom Made Sheaves & Sprockets	PT7-26
D	
Dead Shaft Pulleys	PT14-39
Densities of Common Materials, Approximate	PT15-31
Design Horsepower, Sprockets	PT13-28
Design HP	
S-L Classic Drives	PT7-84
Stock D-V Wedge Drives	PT7-42
Dimensions	
HT500 Sprockets	PT12-14
Conveyor Components	PT14-16 thru PT14-43
FHP Drives	PT8-3 thru PT8-9
FLEXIDYNE	PT3-8 thru PT3-14
Fluid Couplings	PT4-4
GRIP-TIGHT Bushings	PT6-29
Motor Brakes	PT2-2
QD Bushings	PT6-17
QD SHEAVES	PT7-13 thru PT7-25
REEVES VARI-SPEED Drives	PT9-4 thru PT9-11
TAPER-LOCK Bushing	PT6-3
TORQUE-TAMER	PT5-4-6
DODGE Motor Bases	PT9-17 thru PT9-18
Type A Slide	PT9-17
100A	PT9-17
200A	PT9-17
300A	PT9-17
50A	PT9-17
Type B Slide	PT9-18
11B	PT9-18
22B	PT9-18
33B	PT9-18
45B	PT9-18
DODGE Software, HT200/HTD Synchronous	PT11-73
Double-V, V-Belts	PT7-28
Drive Alignment, HT200/HTD Synchronous	PT11-72
DRIVE COMPONENT ACCESSORIES	PT9-1
Drive Selection, Sprockets	PT13-16
Drive Ratio, Sprockets	PT13-28
Drive Tensioning, HT200/HTD Synchronous	PT11-72
Drum and Wing Pulleys	PT14-11 thru PT14-15
Ductile Iron Discs, REEVES VARI-SPEED Drives	PT9-3
DYNA-SYNC DRIVES	PT10-1 thru PT10-43
E	
Easy Selection	
Chain Coupling	PT1-68
Sprockets	PT13-37
Easy Selection Table, Sprockets	PT13-30 thru PT13-31
Efficiency, HT200/HTD Synchronous	PT11-2
Elastomer Compatibility, Couplings	PT1-67
Elastomeric Bushing, REEVES VARI-SPEED Drives	PT9-3
Electrical	PT13-32
Elevator Pulleys	PT14-39
Engineered Class Pulleys	PT14-37
Engineering Technical, Geometrical Relationships	PT13-15
ENGINEERING/TECHNICAL	PT15-1
Engineering/Technical	
Clutches and Brakes	PT2-38
Conveyor Components	PT14-78
Couplings	PT1-83 thru PT1-89
DYNA-SYNC Drives	PT10-44
FLEXIDYNE	PT3-26

E (continued)

HT200 Synchronous Drives	PT11-64
HT500 Synchronous Drives	PT12-77
Sprockets	PT13-30
V-Drives	PT7-143
English Standard Measures	PT15-23
Expansion of Shafting	PT15-19
Extra-Value Features, REEVES VARI-SPEED Drives	PT9-3

F

Factors for Shafting Other than Standard Shafting	PT15-17
Features/Benefits	
Chain Coupling	PT1-65
Clutch/Brake Modules	PT2-11
Conveyor Components	PT14-2
D-FLEX Coupling	PT1-35 thru PT1-36
DYNA-SYNC Belts	PT10-2
DYNA-SYNC Pulleys	PT10-2
FHP Drives	PT8-2
FLEXIDYNE	PT3-2
Fluid Couplings	PT4-2
Fractional HP Clutches & Brakes	PT2-24
Gear Coupling	PT1-48 thru PT1-52,
GRID-LIGN Coupling	PT1-48 thru PT1-49
GRIP-TIGHT Bushings	PT6-28
HT200 Synchronous Drive	PT11-2
HT500 Drives	PT12-2
Motor Brakes	PT2-2
PARA-FLEX Coupling	PT1-2 thru PT1-3
QD Bushings	PT6-16
QD Hubs	PT6-26
REEVES VARI-SPEED Drives	PT9-2 thru PT9-4
Shaft Mounted Clutches & Brakes	PT2-18
Sheaves	PT7-2
Sprockets	PT13-2
TAPER-LOCK Bushings	PT6-2
TORQUE-TAMER	PT5-2
V-Belts	PT7-45
V-Drives	PT7-2

FHP Belts	PT7-41
FHP Drives	PT8-1-PT8-22, PT8-2
Fiberglass, DYNA-SYNC Belts	PT10-2
Finish Bore Sheaves	PT8-2
Fixed Pitch, FHP Drives	PT8-2
Flanged, DYNA-SYNC Pulleys	PT10-2
Flat Face Pulleys	
REEVES VARI-SPEED Drives	PT9-14
TAPER-LOCK	PT9-14
Flat-Face Pulley, REEVES VARI-SPEED Drives,	PT9-3
FLEXIDYNE	PT3-1
FLUID COUPLING	PT4-1
FLEXIDYNE Couplings, FLEXIDYNE	PT3-10
FLEXIDYNE Drives, FLEXIDYNE	PT3-8
FLEXIDYNE Flow Charge	PT3-15
Flexlink Belting	PT7-40
Flush Mounting, TAPER-LOCK Bushings	PT6-2
Flywheel Formulas	PT15-33
Flywheel Sheave, Made-to-Order Sheave	PT7-27
Formulas & Constants	PT13-17
Fuse Plugs, Replacement, Fluid Couplings	PT4-10

G

Gravitational Constant	PT15-31
Groove and Belt Gage, V-Drives	PT7-123

H

H-Bushed Sheaves	
Cast Iron	PT8-2
Clamp Fit	PT8-2
H-Style Bushing	PT8-2
Integral Key	PT8-2
Metric Bores	PT8-2
QT and D Bushing	PT8-2
Static Balance	PT8-2
Hardened Teeth, Sprockets	PT13-46
Hardness Comparison	PT15-38
HE Heavy Duty Drum Pulleys	PT14-16 thru PT14-17
HE Heavy Duty Wing Pulleys	PT14-24 thru PT14-25
Heavy Duty Drum Pulley Weights	PT14-20 thru PT14-24

Heavy Duty Wing Pulley Weights	PT14-28 thru PT14-32
---------------------------------------	----------------------

Horsepower Rating	
HT100	PT11-34 thru PT11-38
HT200/HTD Synchronous Drives	PT11-23 thru PT11-32
HTD,	PT11-33,PT11-39, PT11-40
Horsepower Ratings, FHP Drives	PT8-10 thru PT8-11
Horsepower Required for Belt Conveyors	PT13-23

How To Order	
Chain Coupling	PT1-72
Clutch/Brake Modules	PT2-12
Conveyor Components	PT14-6
D-FLEX Coupling	PT1-37
FLEXIDYNE	PT3-3
Fluid Couplings	PT4-5
Fractional HP Clutches & Brakes	PT2-25
GRID-LIGN Coupling	PT1-50
Made-to-Order Sheave	PT7-27
Motor Brakes	PT2-3
PARA-FLEX Coupling	PT1-4
POLY-DISC Coupling	PT1-63
Pulley Assemblies	PT14-8
RIGID Coupling	PT1-63
Shaft Mounted Clutches & Brakes	PT2-19
TORQUE-TAMER	PT5-3

HT200/HTD Synchronous Belts	PT11-1 thru PT11-61
------------------------------------	---------------------

HT500 Synchronous Belt Drives	
HT500 TAPER-LOCK Sprockets	PT12-6
HT500 MPB Sprockets	PT12-12
HT500 ACHE Sprockets	PT12-14
HT500 Idler Sprockets	PT12-16
HT500 Belts	PT12-17

HT Specification, QD HTD Sprockets	PT11-10 thru PT11-16
---	----------------------

HT TAPER-LOCK Sprockets	PT11-4 thru PT11-8
--------------------------------	--------------------

Hub Diameter, TAPER-LOCK Bushings	PT6-26
--	--------

Hub Location, Made-to-Order Sheave	PT7-27
---	--------

Hub Locations, Custom Made Sheaves & Sprockets	PT7-26
---	--------

Hubs, QD Bushings	PT6-26
--------------------------	--------

I

Idler Brackets, Sprockets	PT13-40
Idler Bushings, Sprockets	PT13-40
Idler Sprockets, Sprockets	PT13-41
Idlers, DYNA-SYNC Drives	PT10-45
IEC Quick Reference Chart	PT15-41

Installation	
HT/HTD Drives	PT11-71
Sprockets	PT13-33
Installing, DYNA-SYNC Drives	PT10-45
Installing/Tensioning, V-Drives	PT7-124 thru PT7-126

Integral Key, TAPER-LOCK Bushings	PT6-2
--	-------

ISO	
QD Bushings	PT6-23
TAPER-LOCK Bushings	PT6-12
ISO9000, DYNA-SYNC Pulleys	PT10-2

J

Jackscrews, TAPER-LOCK Bushings	PT6-2
Junior Pulley, REEVES VARI-SPEED Drives	PT9-2
Junior Pulleys	
FHP or Dual-Duty	PT9-6-PT9-8
Ratings	PT9-4
S-L Classic	PT9-6-PT9-8
Selection/Dimensions	PT9-4

K

Keywords, DYNA-SYNC Drives	PT10-44
-----------------------------------	---------

L

Length Correction Factors, Stock D-V Wedge Drives	PT7-45
Light Duty V-Drives, FHP Drives	PT8-2
Lockwashers, QD Bushings	PT6-16
Long life, HT200/HTD Synchronous	PT11-2
Low maintenance, HT200/HTD Synchronous	PT11-2
Lubricants	
QD Bushings	PT6-16
TAPER-LOCK Bushings	PT6-2
Lubrication	
Bath, Sprockets	PT13-46
Drip, Sprockets	PT13-46

L (continued)

DYNA-SYNC Drives	PT10-2
HT200/HTD Synchronous	PT11-2
Manual, Sprockets	PT13-46
Sprockets	PT13-46
M	
Made To Order Sheaves, FLEXIDYNE	PT3-18
Material, Made-to-Order Sheave	
Class 65 Ductile Iron	PT7-27
Class 80 Ductile Iron	PT7-27
Gray Iron	PT7-27
Material Characteristics	PT15-12
Materials, Custom Made Sheaves & Sprockets,	PT7-26
Dynamic (two-plane) Balance	PT7-26
Gray Iron, Ductile Iron, Steel	PT7-26
Measuring Gage, V-Drives	PT7-123
Metric, QD Bushings	PT6-18
Mathematical Equations	PT15-34
Metric Bore, QD Bushings	PT6-24
Metric Bore, TAPER-LOCK Bushings	PT6-12
Metric Standard Measurement & Conversion,	PT13-12
Metric System of Measurements	PT15-25
Mine Duty Wing & Spiral Wing Pulleys	PT14-36
Mine Duty X-TRA Drum Pulleys	PT14-32 thru PT14-36
Modifications/Accessories	
Conveyor Components	PT14-65
Couplings	PT1-81 thru PT1-82
FLEXIDYNE	PT3-15
Molded Cog, D-V Wedge Narrow Belts	PT7-29
Motor Brakes	PT2-10
Power Supplies, Clutches and Brakes	PT2-36
Mounting	
Custom Made Sheaves & Sprockets	PT7-26
Bored-To-Size	PT7-26
Taper Bore	PT7-26
Taper Bushed	PT7-26
Made-to-Order Sheave	PT7-27
Sprockets	PT13-2
TAPER-LOCK Bushings	PT6-2
Mounted Bearings Life Adjustment Factor	PT15-8
MPTA/RMA	
Classic Cog V-Belts	PT7-38
D-V Wedge Narrow Belts	PT7-29
S-L Classic Belts	PT7-33
Multiple Strand, Sprockets	PT13-29
N	
NEMA	
S-L Classic Drives	PT7-85
Stock D-V Wedge Drives	PT7-43
NEMA Quick Reference Chart	PT15-40
Neoprene, DYNA-SYNC Belts	PT10-2
Nomenclature	
Chain Coupling	PT1-72
Clutch/Brake Modules	PT2-12
Conveyor Components	PT14-8
D-FLEX Coupling	PT1-37
DYNA-SYNC Pulleys	PT10-44
FLEXIDYNE	PT3-3
Fluid Couplings	PT4-3
Fractional HP Clutches & Brakes	PT2-25
GRID-LIGN Coupling	PT1-51
Motor Brakes	PT2-3
PARA-FLEX Coupling	PT1-5
POLY-DISC Coupling	PT1-63
Pulleys	PT14-7
RIGID Coupling	PT1-63
Shaft Mounted Clutches & Brakes	PT2-19
TORQUE-TAMER	PT5-3
Nominal V-Belt Cross Sections	PT15-11
O	
Oil Viscosity Classification	PT13-31
Overhung Load	
Engineering	PT15-34
HT200/HTD Synchronous	PT11-70

P

PH FLEXIDYNE Couplings	PT3-12
Pin Extractors (Chain Breaker), Sprockets	PT13-42
Plain Bore, DYNA-SYNC Pulleys	PT10-8
POLYBAND, V-Belts	PT7-28
Positive, non-slip drive, HT200/HTD Synchronous	PT11-2
Pressure, Engineering	PT15-29
Properties of Sections	PT15-37

Q

QD Bushings	PT6-16
QD Combination Duty, Variable Pitch Sheaves,	PT8-2
QD HTD Sprocket	PT11-10 thru PT11-16
QD Heavy Duty Drum Pulleys	PT14-19 thru PT14-20
QD Heavy Duty Wing Pulleys	PT14-27 thru PT14-28
Quieter Operation, HT200/HTD Synchronous	PT11-2

R

Ratio, FHP Drives	PT8-12 thru PT8-13
Reborable	
QD Bushings	PT6-23
TAPER-LOCK Bushings	PT6-11
Rebore, DYNA-SYNC Drives	PT10-44
Recommended Maximum Conveyor Belt Speeds,	PT13-24
REEVES VARI-SPEED DRIVES	PT9-1-PT9-18
Related Products	
Conveyor Components	PT14-70
Sprockets	PT13-28
V-Drives	PT7-141
Reverse Mounting, QD Bushings	PT6-16
RMA/MPTA	PT7-2
ROLLER CHAIN SPROCKETS	PT13-1 thru PT13-46
Run-Out Tolerance, DYNA-SYNC Drives	PT10-44

S

S-L Classic, FHP Drives	PT8-2
Sawsplit, TAPER-LOCK Bushings	PT6-11
Sawsplit, QD Bushings	PT6-24
Selection	
Conveyor Components	PT14-9
Custom Made Sheaves & Sprockets	PT7-44
DYNA-SYNC Drives	PT10-14
FHP Fixed Speed Drives	PT8-10
FLEXIDYNE	PT3-4
Fluid Couplings	PT4-3
Fractional HP Clutches & Brakes	PT2-26
HE Pulleys, Conveyor Components	PT14-16
HT100 Belts	PT11-27
HT200/HTD Synchronous Drives	PT11-19
HT200 Belt Drive Selection Tables	PT11-35
HT500 Synchronous Belt Drives	PT12-19
QD SHEAVES	PT7-13 thru PT7-25
REEVES VARI-SPEED Drives	PT9-4 thru PT9-11
S-L Classic Drives	PT7-106
Sprockets	PT13-16
Stock Classical Drives	PT7-102
Stock Drives	PT10-18
Stock D-V Wedge Drives	PT7-60
V-Belts	PT7-46
Selection Methods, Couplings	PT1-83
Selection/Dimensions	
Chain Coupling	PT1-69 thru PT1-71
Clutch/Brake Modules	PT2-13
Clutches and Brakes	PT2-30
Conveyor Components	PT14-15
D-FLEX Coupling	PT1-38 thru PT1-47
FHP Sheaves	PT8-3
FLEXIDYNE	PT3-8
Fluid Couplings	PT4-4
GRID-LIGN Coupling	PT1-52 thru PT1-59
Motor Brakes	PT2-4
PARA-FLEX Coupling	PT1-6 thru PT1-9
POLY-DISC Coupling	PT1-73
QT-Bushed Sheaves	PT8-7
RIGID Coupling	PT1-74 thru PT1-75
Senior Pulley, REEVES VARI-SPEED Drives	PT9-3
Sheaves	PT7-4
TAPER-LOCK Pulleys, Conveyor Components	PT14-22
TORQUE-TAMER	PT5-4
Variable Pitch Sheaves	PT8-9

S (continued)

Selection of Shaft Diameters	PT15-15
Senior Pulleys	
Ratings	PT9-4
Selection/Dimensions	PT9-4
Series Wide Range	PT9-9 thru PT9-10
Wide Flat-Face	PT9-9 thru PT9-10
Serpentine Drives, DYNA-SYNC Belts	PT10-11
Service Factor	
Couplings	PT1-68 thru PT1-69
DYNA-SYNC Drives	PT10-16
HT200/HTD Synchronous Drives	PT11-21
S-L Classic Drives	PT7-85
Sprockets	PT13-28
Stock D-V Wedge Drives	PT7-43
TAPER-LOCK Bushings	PT6-4
Shaft Keyseats/Hub Keyways	PT13-7
Shafting/Shaft Diameters	PT15-14
Sheaves	
Balance	PT7-2
Construction	PT7-2
Arm	PT7-2
Block	PT7-2
Web	PT7-2
Shock Loads, V-Belts	PT7-28
Specialty Pulleys	PT14-39
Specification	
Chain Coupling	PT1-50 thru PT1-55
Clutch/Brake Modules	PT2-12
Conveyor Components	PT14-4
D-FLEX Coupling	PT1-4
DYNA-SYNC Belts	PT10-11
DYNA-SYNC Drives	PT10-3
DYNA-SYNC Pulleys	PT10-3
FLEXIDYNE	PT3-3
Fractional HP Clutches & Brakes	PT2-25
GRID-LIGN Coupling	PT1-40
GRIP-TIGHT Bushings	PT6-39
HT Sprockets	PT11-9
HT TAPER-LOCK Sprockets	PT11-4
HT100 Belts	PT11-19
HT200 Belts	PT11-17
HT500 Belts	PT12-17
HT200/HTD Synchronous Belts	PT11-17 thru PT11-18
HT500 Sprockets	PT12-6
Idler Brackets and Bushings	PT6-30
Motor Brakes	PT2-3
PARA-FLEX Coupling	PT1-16
POLY-DISC Coupling	PT1-60
QD Bushings	PT6-17
QD HTD Sprockets	PT11-10
Metric Series	PT6-24
RIGID Coupling	PT1-60
Shaft Mounted Clutches & Brakes	PT2-19
Sprockets	PT13-3
TAPER-LOCK Bushings	PT6-3
TORQUE-TAMER	PT5-3
Speed Drop Cutout, FLEXIDYNE	PT3-18
Speed-Up Drives, DYNA-SYNC Drives	PT10-17
Speed-up Drives	
S-L Classic Drives	PT7-86
Stock D-V Wedge Drives	PT7-44
Sprocket Dimension, Chain Data	PT13-32
Steel, TAPER-LOCK Bushings	PT6-5
Steel Split Pulleys	PT14-40
Stock Sheaves, FLEXIDYNE	PT3-16
Stock Sizes	
QD Bushings	PT6-18
TAPER-LOCK Bushings	PT6-5
Strength & Physical Properties of Metals	PT15-35
Super Pulleys	PT14-38

T

Take-up Allowances, V-Drives	PT7-124
TAPER-LOCK Bushings	PT6-2
TAPER-LOCK Heavy Duty Drum Pulleys	PT14-18 thru PT14-19
TAPER-LOCK Heavy Duty Wing Pulleys	PT14-26 thru PT14-27
TAPER-LOCK HT Sprockets	PT13-4 thru PT13-8
Tensile Cords, V-Belts	PT7-28

Tensile cords, HT200/HTD Synchronous	PT11-2
Tension Tester, V-Drives	PT7-123
Tensioner, Sprockets	PT13-41
Tensioning, DYNA-SYNC Drives	PT10-45
Tensioning a Drive, V-Drives	PT7-125
Thermal Capacities, FLEXIDYNE	PT3-26
Thru-Bore Driven Pulleys, REEVES VARI-SPEED Drives	PT9-5
Timing, DYNA-SYNC Drives	PT10-2
Torque & Horsepower Equivalents	PT15-34
TORQUE TAMER	PT5-1-6
Trigonometric Formula	PT15-39
Troubleshooting, V-Drives	PT7-128
Belt Noise	PT7-128
Belt Stretch	PT7-128
Belt Turn Over	PT7-128
Hot Bearings	PT7-128
Short Belt Life	PT7-128

U

U.S. Standard Sheet Metal Gages	PT13-29
--	---------

V

V-Belts Drives for 11D, 11DL FLEXIDYNE Drives, FLEXIDYNE	PT3-17
V-Belts Drives for 15D FLEXIDYNE Drives, FLEXIDYNE	PT3-17
V-Belts Drives for 55D FLEXIDYNE Drives, FLEXIDYNE	PT3-16
V-Belts Drives for 5D FLEXIDYNE Drives, FLEXIDYNE	PT3-16
V-Belts Drives for 70D FLEXIDYNE Drives, FLEXIDYNE	PT3-16
V-Belts Drives for 75D FLEXIDYNE Drives, FLEXIDYNE	PT3-17
V-Belts Drives for 9D FLEXIDYNE Drives, FLEXIDYNE	PT3-17
V-Belt Drive Formulas	PT15-10
V-Belts Sheave Groove Dimensions	PT13-22
V-Drives	PT7-127
V-Belts	
Classic Cog/AX, BX, CX, DX	PT7-28
D-V Wedge/3VX, 5VX, 8V	PT7-28
S-L Classic/A, B, C, D, E	PT7-28
V-Drives	
Selection	PT7-1 thru PT7-126
Belt Correction Factors, Length Correction	PT7-87
Idler/Bracket and Bushings	PT7-122
Variable Pitch, FHP Drives	PT8-2
Variable Pitch Selection Procedure, FHP Drives	PT8-15
Variable Pitch Selection Table, FHP Drives	PT8-16
Variable Pitch Sheaves	PT8-2
Taper-Lock Dual Duty	PT8-2
Velocity, DYNA-SYNC Drives	PT10-2
Velocity	PT15-28
VIA-VISA Software, V-Drives	PT7-123
Via-Visa Software	PT7-2
Vibration Frequencies of Dodge Anti-Friction Mounted Bearings	PT15-2
Viscosity Classification Equivalents	PT15-22
Volumetric Flow Rates	PT15-29
VP Sheaves, FHP Drives	PT8-9

W

Weight, Mass, Inertia	PT15-29
Weights and Properties of Steel Shafting	PT15-20
Weld-on Hubs, TAPER-LOCK Bushings	PT6-13
Weld-On Hubs for Conveyor Pulleys, QD Bushings	PT6-23
Welding, TAPER-LOCK Bushings	PT6-10
Wide Range Belts, REEVES VARI-SPEED Drives	PT9-3, PT9-12 thru PT9-14
REEVES-Lewellen Belts	PT9-12
Working Tension, DYNA-SYNC Drives	PT10-45